

# vx 4+ specs



## Power to scale

The vx 4+ is the new industry standard media server powering the world's biggest and most technically demanding live and virtual productions.

## Warranties & Support

– 2 year return to base hardware warranty


## Bundled accessories

- Keyboard
- Mouse + Mouse Mat
- Power Cable (Plug-True1)
- Hardware Guide
- Backmounted Rails
- Getting Started Guide

## Physical specifications

<b>Packed Dimensions:</b>	<b>W</b>	<b>H</b>	<b>D</b>
	711mm 28"	508mm 20"	737mm 29"
<b>Unit Dimensions:</b>	<b>W</b>	<b>H</b>	<b>D</b>
	445mm 17.52"	178mm 7"	593mm 23.35"
<b>Unit + Rack Handles</b>	<b>W</b>		<b>D</b>
	483mm 19"		621mm 24.45"
<b>Rack Depth:</b>			<b>D</b>
			585mm 23.03"
<b>Unit Weight:</b>		21kg	46.3lbs
<b>Packed Unit Weight:</b>		28kg	61.7lbs

# vx 4+ specs



## Hardware specifications

### Voltage:

100-240V, 50-60Hz

### Power Consumption:

860 W

### Operating System:

Windows 10 Enterprise SAC

### CPU:

Intel Xeon 3.1Ghz

### Memory:

128GB RAM (8 × 16GB)

### Environmental Tolerances:

Temperature: 5-35°C (40°-95°F)

Humidity: 5%-95% (non-condensing)

Altitude: 0-2700m (0-8850 ft)

### Mounting System:

4U 19" rack mount

### Audio:

XLR audio I/O

### OS:

2× 128GB SSD

### Storage:

Up to 4 NVMe Drives

4× 1.92TB Removable NVMe SSD with RAID

## System connectivity I/O

### Video Output:

1× DisplayPort 1.4 (GUI)

4× VFC Output Slots

Ships standard with HDMI 2.0 VFC cards (with maximum output of 4K@60p)

Different Video Format Conversion Cards also available, refer to VFC specifications

### Video Input:

4× 12G inputs (or 16× 3G inputs)

(HD-BNC connectors, 4× 4K@60p max)

### Analogue Audio:

2× Balanced XLR Input

2× Balanced XLR Output

1× 1/4" Headphones Jack

### Digital Audio:

ADAT/SPDIF I/O

### MIDI:

1× In, 1× Out

### General Network:

1× 1Gb/sec Ethernet

2× 10Gb/sec Ethernet

### High Speed Network:

2× 100Gb/sec Ethernet

### System Management Controller:

1× Management Port

### Data/Peripherals:

5× USB 3.0

### Video Sync:

1× BNC Genlock